

RECEIVED
CENTRAL FAX CENTER


OCT 12 2006

CLAIM AMENDMENTS


1. (Currently Amended)

An active energy ray curable composition containing an epoxy compound having at least one oxirane ring having substituents at least at positions α and β of the oxirane ring,


wherein the epoxy compound is a compound represented by the following general formula (2) or (3) ~~(1)~~:



~~where R_{100} represents a substituent, m_0 represents 0 to 2, r_0 represents 1 to 3, and L_0 represents an $r_0 + 1$ valent linkage group with 1 to 15 carbons which may comprise oxygen or sulfur atoms in a backbone, or a single bond.~~



where R_{101} represents a substituent, $m1$ represents 0 to 2, $p1$ and $q1$ represent 1, respectively, and $r1$ represents 1 to 3, L_1 represents an $r1 + 1$ valent linkage group with 1 to 15 carbons which may comprise oxygen or sulfur atoms in a backbone, or a single bond;



where R_{102} represents a substituent, $m2$ represents 0 to 2, $p2$ and $q2$ represent 0 or 1, respectively, and $r2$ represents 1 to 3, L_2 represents an $r2 + 1$ valent linkage group with 1 to 15 carbons which may comprise oxygen or sulfur atoms in a backbone, or a single bond.

2. (Cancelled)

3. (Canceled)

4. (Original)

The composition of claim 1, wherein a molecular weight of the epoxy compound is from 170 to 1,000.

5. (Cancelled)

6. (Original)

The composition of claim 1, further containing a cationic photopolymerization initiator.

7. (Cancelled)

8. (Cancelled)

9. (Original)

The composition of claim 1, containing a pigment.

10. (Original)

The composition of claim 9, wherein an average particle diameter of the pigment is from 10 to 150 nm.

11. (Original)

The composition of claim 9, further containing a pigment dispersant.

12. (Original)

The composition of claim 1, having a viscosity of 5 to 50 mPa·s at 25°C.